

ACC# 01290

## Section 1 - Chemical Product and Company Identification

**MSDS Name:** Ammonium nitrate**Catalog Numbers:** AC205860000, AC205860010, AC205861000, AC205865000, AC423350000, AC423350010, AC423350250, A676-212, A676-500, S75244**Synonyms:** Nitric acid, ammonium salt; Norway saltpeter.**Company Identification:**United Nuclear Scientific Supplies  
125 N. 8th Street  
Klamath Falls, OR 97601**For information, call:** 1-541-205-6855**24 HR. EMERGENCY Telephone Number:**

VelocityEHS (USA): 800-255-3924

## Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
6484-52-2	Ammonium nitrate	> 98	229-347-8

## Section 3 - Hazards Identification

**EMERGENCY OVERVIEW**

Appearance: white to gray to brown solid.

**Danger!** Strong oxidizer. Contact with other material may cause a fire. Causes eye, skin, and respiratory tract irritation. May cause methemoglobinemia. Hygroscopic (absorbs moisture from the air). Ammonium nitrate when contaminated with oil, charcoal, or other organic materials should be considered an explosive capable of detonation by combustion or by explosion of adjacent explosive materials.**Target Organs:** Blood, respiratory system, eyes, skin.**Potential Health Effects****Eye:** Causes eye irritation.**Skin:** Causes skin irritation.**Ingestion:** Ingestion of large amounts may cause gastrointestinal irritation. Methemoglobinemia is characterized by dizziness, drowsiness, headache, shortness of breath, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), rapid heart rate and chocolate-brown colored blood.**Inhalation:** Causes respiratory tract irritation. May cause methemoglobinemia, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), convulsions, tachycardia, dyspnea (labored breathing), and death. Methemoglobinemia is characterized by dizziness, drowsiness, headache, shortness of breath, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), rapid heart rate and chocolate-brown blood. Inhalation can cause systemic acidosis and methemoglobinemia.**Chronic:** May cause methemoglobinemia, which is characterized by chocolate-brown colored blood, headache, weakness, dizziness, breath shortness, cyanosis (bluish skin due to deficient oxygenation of blood), rapid heart rate, unconsciousness and possible death. May cause digestive tract disturbances.

## Section 4 - First Aid Measures

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.**Skin:** Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.**Ingestion:** If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.**Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.**Notes to Physician:** Absorption of this product into the body may cause cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood). Moderate degrees of cyanosis need to be treated only by supportive measures: bed rest and oxygen inhalation. For methemoglobinemia, administer oxygen alone or with Methylene Blue depending on the methemoglobin concentration in the blood. Cleansing of the entire contaminated area of the body is of utmost importance.

## Section 5 - Fire Fighting Measures

**General Information:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Strong oxidizer. Contact with other material may cause fire. May explode under confinement and high temperatures, especially if contaminated.

**Extinguishing Media:** Use water spray to cool fire-exposed containers. Use flooding quantities of water as spray.

**Flash Point:** Not available.

**Autoignition Temperature:** Not applicable.

**Explosion Limits, Lower:**Not available.

**Upper:** Not available.

**NFPA Rating:** (estimated) Health: 2; Flammability: 0; Instability: 2; Special Hazard: OX

## Section 6 - Accidental Release Measures

**General Information:** Use proper personal protective equipment as indicated in Section 8.

**Spills/Leaks:** Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. Keep combustibles (wood, paper, oil, etc.,) away from spilled material.

## Section 7 - Handling and Storage

**Handling:** Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Keep away from heat, sparks and flame. Keep from contact with clothing and other combustible materials. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Avoid breathing dust. Inform laundry personnel of contaminant's hazards. Avoid localized heating of ammonium nitrate, potentially leading to development of high temperature areas. Ensure that ammonium nitrate is not exposed to strong shock waves from explosives. Avoid low pH (acidic) conditions.

**Storage:** Do not store near combustible materials. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from acids. Keep away from reducing agents. Avoid storage on wood floors.

## Section 8 - Exposure Controls, Personal Protection

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

### Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Ammonium nitrate	none listed	none listed	none listed

**OSHA Vacated PELs:** Ammonium nitrate: No OSHA Vacated PELs are listed for this chemical.

### Personal Protective Equipment

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin:** Wear appropriate gloves to prevent skin exposure.

**Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Respirators:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

## Section 9 - Physical and Chemical Properties

**Physical State:** solid

**Appearance:** white to gray to brown

**Odor:** odorless

**pH:** 5.4 (0.1 M solution)

**Vapor Pressure:** Negligible.

**Vapor Density:** Not available.

**Evaporation Rate:**Negligible.

**Viscosity:** Not available.

**Boiling Point:** Not available.

**Freezing/Melting Point:**169 deg C

**Decomposition Temperature:**210 deg C

**Solubility:** Soluble.

**Specific Gravity/Density:**1.725 @ 25°C

**Molecular Formula:**NH<sub>4</sub>NO<sub>3</sub>

**Molecular Weight:**80.04

## Section 10 - Stability and Reactivity

**Chemical Stability:** Stable at room temperature in closed containers under normal storage and handling conditions. Risk of explosion if heated under confinement. Deliquescent (tending to absorb atmospheric water vapor and become liquid).

**Conditions to Avoid:** Dust generation, contamination, heating in a confined space.

**Incompatibilities with Other Materials:** Strong reducing agents, strong acids, finely powdered metals, organic matter, chlorides, combustible materials.

**Hazardous Decomposition Products:** Oxides of nitrogen.

**Hazardous Polymerization:** Has not been reported.

## Section 11 - Toxicological Information

**RTECS#:**

**CAS#** 6484-52-2: BR9050000

**LD50/LC50:**

CAS# 6484-52-2:

Oral, rat: LD50 = 2217 mg/kg;

**Carcinogenicity:**

CAS# 6484-52-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

**Epidemiology:** No data available.

**Teratogenicity:** No data available.

**Reproductive Effects:** No data available.

**Mutagenicity:** No data available.

**Neurotoxicity:** No data available.

**Other Studies:**

## Section 12 - Ecological Information

No information available.

## Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**RCRA P-Series:** None listed.

**RCRA U-Series:** None listed.

## Section 14 - Transport Information

	US DOT	Canada TDG
<b>Shipping Name:</b>	AMMONIUM NITRATE	AMMONIUM NITRATE
<b>Hazard Class:</b>	5.1	5.1
<b>UN Number:</b>	UN1942	UN1942
<b>Packing Group:</b>	III	III

## Section 15 - Regulatory Information

### US FEDERAL

**TSCA**

CAS# 6484-52-2 is listed on the TSCA inventory.

**Health & Safety Reporting List**

None of the chemicals are on the Health & Safety Reporting List.

**Chemical Test Rules**

None of the chemicals in this product are under a Chemical Test Rule.

**Section 12b**

None of the chemicals are listed under TSCA Section 12b.

**TSCA Significant New Use Rule**

None of the chemicals in this material have a SNUR under TSCA.

**CERCLA Hazardous Substances and corresponding RQs**

None of the chemicals in this material have an RQ.

**SARA Section 302 Extremely Hazardous Substances**

None of the chemicals in this product have a TPQ.

**SARA Codes**

CAS # 6484-52-2: immediate, fire, reactive.

**Section 313**

This material contains Ammonium nitrate (listed as Water Dissociable Nitrate Compounds), > 98%, (CAS# 6484-52-2) which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

**Clean Air Act:**

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

**Clean Water Act:**

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

**OSHA:**

None of the chemicals in this product are considered highly hazardous by OSHA.

**STATE**

CAS# 6484-52-2 can be found on the following state right to know lists: New Jersey, Pennsylvania, Massachusetts.

**California Prop 65**

California No Significant Risk Level: None of the chemicals in this product are listed.

**European/International Regulations**

**European Labeling in Accordance with EC Directives**

**Hazard Symbols:**

XI O

**Risk Phrases:**

R 36/37/38 Irritating to eyes, respiratory system and skin.

R 8 Contact with combustible material may cause fire.

R 9 Explosive when mixed with combustible material.

**Safety Phrases:**

S 17 Keep away from combustible material.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

**WGK (Water Danger/Protection)**

CAS# 6484-52-2: 1

**Canada - DSL/NDSL**

CAS# 6484-52-2 is listed on Canada's DSL List.

**Canada - WHMIS**

This product has a WHMIS classification of C, D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

**Canadian Ingredient Disclosure List**

CAS# 6484-52-2 is not listed on the Canadian Ingredient Disclosure List.

**Section 16 - Additional Information**

**MSDS Creation Date:** 12/12/1997

**Revision #7 Date:** 2/11/2008

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall United Nuclear Scientific be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if United Nuclear Scientific has been advised of the possibility of such damages.*