

# SAFETY DATA SHEET

Version 6.2 Revision Date 05/28/2021 Print Date 10/07/2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Glycerol

CAS-No. : 56-81-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : United Nuclear Sceintific

125 N. 8th Street

Klamath Falls, OR 97601

**United States** 

Telephone : +1 541-205-6855

1.4 Emergency telephone

Emergency Phone # : 24 HR EMERGENCY Telephone Number

VelocityEHS (USA): 800-255-3924

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### **SECTION 3: Composition/information on ingredients**

3.1 Substances

Synonyms : 1,2,3-Propanetriol

Glycerin

Formula :  $C_3H_8O_3$ Molecular weight : 92.09 g/mol CAS-No. : 56-81-5 EC-No. : 200-289-5

Component	Classification	Concentration			
glycerine					
		<= 100 %			

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### **6.4** Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed.

hygroscopic

Storage class (TRGS 510): 10: Combustible liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
glycerine	56-81-5	TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	15 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	10 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

### 8.2 Exposure controls

### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

### Personal protective equipment

### **Eve/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

### Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

a) Appearance Form: viscous

Color: clear

b) Odor odorless

c) Odor Threshold Not applicable

d) pH 5.5 - 8

e) Melting Melting point/range: 20 °C (68 °F)

point/freezing point

182 °C 360 °F at 27 hPa Initial boiling point and boiling range

g) Flash point 199 °C (390 °F) at ca.1013.0 hPa - Pensky-Martens closed cup

h) Evaporation rate No data available Flammability (solid, No data available i)

gas)

Upper/lower Upper explosion limit: 19 %(V) at 1013 hPa i) Lower explosion limit: 2.7 %(V) at 1013 hPa flammability or

explosive limits

0.26 hPa at 100 °C (212 °F) k) Vapor pressure 5.7 hPa at 150 °C(302 °F)

 Vapor density 3.18 - (Air = 1.0)m) Relative density No data available

n) Water solubility miscible

o) Partition coefficient: log Pow: -1.75 at 25 °C (77 °F)

n-octanol/water

p) Autoignition 370 °C (698 °F)

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available No data available s) Explosive properties t) Oxidizing properties No data available

#### 9.2 Other safety information

Surface tension ca.63.4 mN/m at 20 °C (68 °F)

Relative vapor 3.18 - (Air = 1.0)

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions

Risk of explosion with:

halogens

Strong oxidizing agents

peroxi compounds

hydrogen peroxide

**Nitriles** 

perchloric acid

with

Lead oxides

Nitric acid

with

sulfuric acid

Risk of ignition or formation of inflammable gases or vapours with:

potassium permanganate

hydrides

calcium hypochlorite

Fluorine

with

Lead oxides

Exothermic reaction with:

Oxides of phosphorus

chromium(VI) oxide

phosphorus halides

Acetic anhydride

with

phosphorous oxichloride

with

Nitrobenzene

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 27,200 mg/kg

Remarks: (ECHA)

Inhalation: No data available

LD50 Dermal - Rabbit - > 10,000 mg/kg

Remarks: (External MSDS)

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation Remarks: (ECHA)

#### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

### 11.2 Additional Information

RTECS: MA8050000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 54,000

mg/l - 96 h Remarks: (ECHA)

Toxicity to daphnia

Remarks: No data available

and other aquatic invertebrates

(glycerine)

Toxicity to algae Remarks

Remarks: No data available

(glycerine)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 2 d

Result: 90 % - Readily biodegradable.

Remarks: (ECHA)

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

### DOT (US)

Not dangerous goods

### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. United Nuclear Scientific and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Copyright 2020 United Nuclear Scientific. License granted to make unlimited paper copies for internal use only.

Version: 6.2 Revision Date: 05/28/2021 Print Date: 10/07/2023