

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 08/23/2013

Version 1.1

SECTION 1.Identification

Product identifier

Product number 805660

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

Details of the supplier of the safety data sheet

Company United Nuclear Scientific Supplies, LLC

125 N. 8th Street Klamath Falls, OR 97601

PHONE: 541-205-6855 EMAIL: sales@unitednuclear.com

Emergency telephone 24 HR EMERGENCY Telephone Number

VelocityEHS (USA): 800-255-3924

SECTION 2. Hazards identification

GHS Classification

Substances which in contact with water emit flammable gases, Category 1, H260 Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word Danger

Hazard Statements

H260 In contact with water releases flammable gases which may ignite spontaneously.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

P370 + P378 In case of fire: Use metal fire powder for extinction.

P402 + P404 Store in a dry place. Store in a closed container.

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other hazards

Water Reactive

SECTION 3. Composition/information on ingredients

Formula Li Li (Hill)

CAS-No. 7439-93-2 Molar mass 6.94 g/mol

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

lithium (>= 90 % - <= 100 %)

7439-93-2

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Nausea, muscle twitching, Impairment of vision, cardiac arrest, Coma The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance. Risk of blindness!

Indication of any immediate medical attention and special treatment needed

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Extinguishing media: sodium chloride, -bicarbonate or calcareous sandstone.

Special powder against metal fire

Unsuitable extinguishing media

Water, Carbon dioxide (CO2), Foam

Special hazards arising from the substance or mixture

Combustible material

Self-ignition possible without protective liquid.

Self-ignition possible without protective gas.

Caution! in contact with water product releases:

Hydrogen

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains, Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up carefully. Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Keep workplace dry. Do not allow product to come into contact with water.

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state solid

Color metallic

Odor No strong odor known.

Odor Threshold No information available.

pH No information available.

Melting point 179 °C

Boiling point/boiling range 2,457 °F (1,347 °C)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1
Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure 1 hPa

at 1333 °F (723 °C)

Relative vapor density No information available.

Relative density 0.534 g/cm³

at 68 °F (20 °C)

Water solubility at 68 °F (20 °C)

(decomposition)

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties No information available.

SECTION 10. Stability and reactivity

Reactivity

Self-ignition possible due to air moisture.

Chemical stability

sensitive to moisture

Possibility of hazardous reactions

Water, Alcohols, Acids, Halogenated hydrocarbon, nitrogen, Carbon dioxide (CO2), Oxygen,

halogens, sulfur

Risk of explosion with:

Risk of ignition or formation of inflammable gases or vapors with:

Conditions to avoid

Strong heating.

Exposure to moisture.

Incompatible materials

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

no information available

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity

Corrosive to respiratory system

Skin irritation

Causes burns.

Eve irritation

Causes serious eye damage.

Risk of blindness!

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

Decomposition of the substance with tissue moisture.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

After uptake of large quantities:

Nausea, muscle twitching, Impairment of vision, Coma, cardiac arrest

Damage to:

Kidney

Other information

The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

We have no quantitative data concerning the ecological effects of this product.

Biological effects:

The following may develop after reaction of the product with water:

lithium hydroxide

Harmful effect due to pH shift.

Further information on ecology

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN 1415
Proper shipping name LITHIUM
Class 4.3
Packing group I
Environmentally hazardous --

Air transport (IATA)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

UN number UN 1415
Proper shipping name LITHIUM
Class 4.3

Packing group I
Environmentally hazardous -Special precautions for user yes

IATA (Passenger) Not permitted for transport

Sea transport (IMDG)

UN 1415
Proper shipping name LITHIUM
Class 4.3
Packing group I
Environmentally hazardous -Special precautions for user
EmS F-G S-N

SECTION 15. Regulatory information

United States of America

OSHA Hazards

Water Reactive

Corrosive to skin

Corrosive to eyes

Corrosive by inhalation.

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Reactivity Hazard

Acute Health Hazard

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

lithium

Pennsylvania Right To Know

Ingredients

lithium

New Jersey Right To Know

Ingredients

lithium

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H260 In contact with water releases flammable gases which may ignite

spontaneously.

H314 Causes severe skin burns and eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

MATERIAL SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 805660 Version 1.1

Product name Lithium (sticks) (protective liquid: paraffin oil) for synthesis

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date08/23/2013

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.