

SAFETY DATA SHEET

Creation Date 02-Jun-2010 Revision Date 18-Jan-2018 Revision Number 3

1. Identification

Product Name Zinc Metal Powder

Cat No. : Z5-500; Z46-3

CAS-No 7440-66-6

Synonyms Zinc Dust (Certified/Technical)

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

United Nuclear Scientific 125 N. 8th Street Klamath Falls, OR 97601 Tel: (541) 205-6855

24 HR EMERGENCY Telephone Number

VelocityEHS (USA): 800-255-3924

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Substances/mixtures which, in contact with water, emit Category 1

flammable gases

Pyrophoric solids Category 1
Combustible dust Yes

Label Elements

Signal Word

Danger

Hazard Statements

May form combustible dust concentrations in air In contact with water releases flammable gases which may ignite spontaneously Catches fire spontaneously if exposed to air



Precautionary Statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Do not allow contact with air

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from any possible contact with water, because of violent reaction and possible flash fire

Handle under inert gas. Protect from moisture

Skin

Brush off loose particles from skin. Immerse in cool water/wrap with wet bandages

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store under an inert atmosphere

Store in a dry place. Store in a closed container

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Zinc powder - zinc dust (pyrophoric)	7440-66-6	100

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms

occur.

Ingestion Do not induce vomiting. Obtain medical attention.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Dry sand, clay, approved class D extinguishers.

Unsuitable Extinguishing Media DO NOT USE WATER, Carbon dioxide (CO2), Dry chemical, Foam

Flash Point No information available

Method - No information available

Autoignition Temperature 460 °C / 860 °F

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Fine dust dispersed in air may ignite. Pyrophoric: Spontaneously flammable in air. Water reactive. Contact with water liberates extremely flammable gases. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Hydrogen

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Up

HealthFlammabilityInstabilityPhysical hazards143W

Accidental release measures

Personal Precautions Use personal protective equipment. Remove all sources of ignition. Avoid dust formation.

Take precautionary measures against static discharges. Do not get in eyes, on skin, or on

clothina.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

information.

Methods for Containment and Clean Remove all sources of ignition. Do not expose spill to water. Sweep up or vacuum up

spillage and collect in suitable container for disposal. Use spark-proof tools and

explosion-proof equipment. Avoid dust formation.

7. Handling and storage

Handling Use only under a chemical fume hood. Wear personal protective equipment. Avoid dust

formation. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Handle under an inert atmosphere. Do not allow contact with air. Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static

discharges.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert

atmosphere. Keep away from heat and sources of ignition. Keep away from water.

8. Exposure controls / personal protection

Exposure GuidelinesThis product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Use only under a chemical fume hood. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eve/face ProtectionWear appropriate protective eveglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

No information available

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolidAppearanceLight blueOdorOdorless

Odor Threshold

pH

No information available
No information available

Melting Point/Range
Melting Point/Range
419 °C / 786.2 °F
Boiling Point/Range
908 °C / 1666.4 °F
Flash Point
No information available
Evaporation Rate
No information available

Flammability (solid,gas)
Flammability or explosive limits

Upper
Lower
No data available
No data available
No data available
1 mmHg @ 487 °C
Vapor Density
No information available

Specific Gravity 7

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Pecomposition Temperature
Viscosity

Insoluble in water
No data available
460 °C / 860 °F
No information available
No information available

Molecular Formula Zn Molecular Weight 65.37

10. Stability and reactivity

Reactive Hazard Yes

Stability Water reactive. Moisture sensitive. Air sensitive. Pyrophoric: Spontaneously flammable in

air.

Conditions to Avoid Avoid dust formation. Incompatible products. Exposure to air. Exposure to moist air or

water. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Amines

Hazardous Decomposition Products Hydrogen

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions Contact with water liberates extremely flammable gases. Pyrophoric: Spontaneously

flammable in air.

11. Toxicological information

Acute Toxicity

Product Information

No acute toxicity information is available for this product

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc powder - zinc dust (pyrophoric)	LD50 = 630 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Zinc powder - zinc	7440-66-6	Not listed				
dust (pyrophoric)						

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals. See actual entry in

RTECS for complete information.

12. Ecological information

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Zinc powder - zinc dust	EC50: 0.09 - 0.125 mg/L,	LC50: 0.211 - 0.269 mg/L,	Not listed	EC50: 0.139 - 0.908 mg/L,
(pyrophoric)	72h static	96h semi-static (Pimephales		48h Static (Daphnia magna)
	(Pseudokirchneriella	promelas)		
	subcapitata)	LC50: = 2.66 mg/L, 96h		
	EC50: 0.11 - 0.271 mg/L,	static (Pimephales		
	96h static	promelas)		
	(Pseudokirchneriella	LC50: = 30 mg/L, 96h		
	subcapitata)	(Cyprinus carpio)		
		LC50: = 0.45 mg/L, 96h		
		semi-static (Cyprinus carpio)		
		LC50: = 7.8 mg/L, 96h static		
		(Cyprinus carpio)		
		LC50: = 3.5 mg/L, 96h static		
		(Lepomis macrochirus)		
		LC50: = 0.24 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		

ſ	LC50: = 0.59 mg/L, 96h	
1	semi-static (Oncorhynchus	
1	mykiss)	
1	LC50: 2.16 - 3.05 mg/L, 96h	
1	flow-through (Pimephales	
1	promelas)	
1	LC50: = 0.41 mg/L, 96h	
1	static (Oncorhynchus	
1	mykiss)	
1		

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation No information available.

Mobility No information available.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1436

Proper Shipping Name ZINC POWDER

Hazard Class 4.3 Subsidiary Hazard Class 4.2 Packing Group ||

TDG

UN-No UN1436

Proper Shipping Name ZINC POWDER

Hazard Class 4.3 Subsidiary Hazard Class 4.2 Packing Group II

IATA

UN-No UN1436

Proper Shipping Name ZINC POWDER

Hazard Class 4.3 Subsidiary Hazard Class 4.2 Packing Group II

IMDG/IMO

UN-No UN1436

Proper Shipping Name ZINC POWDER

Hazard Class 4.3 Subsidiary Hazard Class 4.2 Packing Group II

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Zinc powder - zinc dust	Х	Х	-	231-175-3	-		Х	-	Χ	Х	Χ
(pyrophoric)											

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance

- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Zinc powder - zinc dust (pyrophoric)	7440-66-6	100	1.0

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Zinc powder - zinc dust (pyrophoric)	-	-	Х	X

Clean Air Act

Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Zinc powder - zinc dust (pyrophoric)	1000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Zinc powder - zinc dust	X	X	X	-	X
(pyrophoric)					

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

	16. Other information	
Prepared By	United Nuclear Scientifc	

Email: sales@unitednuclear.com

 Creation Date
 02-Jun-2010

 Revision Date
 18-Jan-2018

 Print Date
 18-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS